

Responsible sourcing certificate for concrete and its supply chain

Date of issue:

16-09-2022

Expiration date:

16-09-202

Certification Body



SGS INTRON Certificatie Venusstraat 2 Culemborg, 4105 JH Netherlands

+31 88 214 51 33 nl.intron@sgs.com www.sgs.com



Ron Leppers Director SGS INTRON Certification



Hereby is being declared that: **Górażdże Beton WBT Kraków**

Mierzeja Wiślana 10, 30-832 Kraków, Poland

has been assessed according to:

Concrete Sustainability Council (2021) (Concrete) 2.1 English

SGS has determined that at the time of the assessment all regulations as set out in the Concrete Sustainability Council RSS are applied by the certificate holder. The evidence provided by the certificate holder during the audit has been assessed and found to be in accordance with the applicable regulations.

This certificate remains valid without surveillance for three years as long as the provisions in the Concrete Sustainability Council RSS and the procedures and methods applied by the certificate holder do not change significantly.





Date of issue: 16-09-2022 Expiration date: 16-09-2025

Final result: 56.35 %

Subscore per category

Category	0	10	20	30	40	50	60	70	80	90	100
Prerequisites	100	0.00 %									
Management	81.	.82 %									
Environmental	97.	.26 %									
Social	100	0.00 %									
Economics	88.	.00 %									
C1. Cement	0.0	0 %									
C2. Aggregates	0.0	0 %									

Through exemplary performance additionally earned points (already included in category scores above)

Environmental 2.74 %

SGS has determined that at the time of the assessment all regulations as set out in the Concrete Sustainability Council RSS are applied by the certificate holder. The evidence provided by the certificate holder during the audit has been assessed and found to be in accordance with the applicable regulations.

This certificate remains valid without surveillance for three years as long as the provisions in the Concrete Sustainability Council RSS and the procedures and methods applied by the certificate holder do not change significantly.